

The Scandinavian Journal of
Clinical & Laboratory
Investigation

EDITED BY
THE SCANDINAVIAN SOCIETY
FOR CLINICAL CHEMISTRY
AND CLINICAL PHYSIOLOGY

MANAGING EDITOR
O. Stokke

EDITORS

H. Adlercreutz	N. Norman
J. Hartiala	I. Romslo
M. Hørder	O. Siggard-Andersen
G. Lindstedt	B. Sörbo
O. Munck	R. Vihko

EDITORIAL SECRETARY
T. A. Hagve

Scand. J. clin. Lab. Invest. – Vol. 46 – 1986

BLACKWELL SCIENTIFIC PUBLICATIONS

Published for

Medisinsk Fysiologisk Forenings Forlag, Oslo by
Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
52 Beacon Street, Boston, Massachusetts 02108,
USA
677 Lytton Avenue, Palo Alto, California 94301,
USA
107 Barry Street, Carlton, Victoria 3053, Australia

© 1986 Medisinsk Fysiologisk Forenings Forlag, Institute of
Clinical Biochemistry, Rikshospitalet, N-0027 Oslo 1.

Printed and bound in Great Britain
by the Devonshire Press, Torquay

Authorization to photocopy for internal or personal use or
the internal or personal use of specific clients is granted by
Medisinsk Fysiologisk Forenings Forlag for libraries and
other users registered with the Copyright Clearance Center
(CCC) Transactional Reporting Service, provided that the
base fee of \$02.00 per copy is paid directly to the CCC,
27 Congress Street, Salem, MA 01970, USA. This consent
does not extend to other kinds of copying, such as copying
for general distribution, for advertising or promotional
purposes, for creating new collective works or for resale.
Special requests should be addressed to the Editor.
0036-5513/86 \$02.00.

No. 1

Original Articles

Evaluation of the chemical parameters of four systems of radioimmunological assay: <i>E. Bojesen & I. N. Bojesen</i>	1
Serum ferritin and iron status in 'healthy' elderly individuals: <i>N. Milman, H. C. Andersen & N. Strandberg Pedersen</i>	19
Ionic calcium levels during pregnancy, at delivery and in the first hours of life: <i>M. E. Martinez, C. Sanchez, M. Salinas, J. Pellegrini, A. Carrasco, P. Catalan, G. Balaguer & J. Quero</i>	27
Lysyl oxidase activity and synthesis of desmosines in cultured human aortic cells and skin fibroblasts: comparison of cell lines from control subjects and patients with the Marfan syndrome or other annulo-aortic ectasia: <i>T. Halme, T. Viheraari & R. Penttinen</i> ...	31
Catecholamines in plasma from artery, cubital vein, and femoral vein in patients with cirrhosis. Significance of sampling site: <i>J. H. Henriksen, H. Ring-Larsen & N. J. Christensen</i>	39
Simple spectrophotometric determination of haptoglobin-haemoglobin complex in haemolysed samples: <i>B.-S. Shim & D.-M. Jue</i>	45
Total and local bone mass before and after normalization for indices of bone and body size: <i>L. Nilas, A. Gotfredsen & C. Christiansen</i>	53
Kidney Na,K-ATPase activity in streptozotocin-diabetic rats: <i>R. Rasch</i>	59
The Tromsø Heart Study: distribution of, and determinants for, gamma-glutamyltransferase in a free-living population: <i>E. Arnesen, N.-E. Huseby, T. Brenn & K. Try</i>	63
Does infarct size influence loss of embolised 15- μ m microspheres from ischaemic myocardium?: <i>K. S. Andersen, H. Vik-Mo & L. Stangeland</i>	71
Haemodynamic and humoral effects of lower body negative pressure in normal, sodium-replete man during angiotensin-converting enzyme inhibition with captopril: <i>S. Rasmussen, B. Hesse, F. Bonde-Petersen, M. Damkjær Nielsen, N. J. Christensen, J. Giese & J. Warberg</i>	81

Technical Note

Actual ionized calcium and pH in blood collected in capillary or evacuated tubes: <i>J. Thode</i>	89
--	----

Letter to the Editor

Epoxy acids in peroxisomal disorders: <i>O. Stokke, E. Jellum, E. A. Kvittingen, O. Skjeldal & G. Hvistendahl</i>	95
--	----

No. 2

Original Articles

Beta-blockers, diuretics and physical fitness as determinants of serum lipids in myocardial infarction patients: <i>E. Hietanen, H. Hämäläinen, J. Mäki, A. Seppänen, V. Kallio & J. Marniemi</i>	97
Uptake of iron from transferrin by isolated hepatocytes. Relationship to cellular energy metabolism: <i>K. Thorstensen & I. Romslo</i>	107
Low and high risk coronary patients discriminated by blood platelet fatty acid composition: <i>I. Aursnes, H.-P. Dørum, P. Smith, H. Arnesen, E. N. Christiansen, K. R. Norum, S. Fischer & P. C. Weber</i>	115

Relative potencies of various β -adrenoceptor antagonists (BAA) at the level of the human myocardial β -adrenoceptor-adenylate cyclase (AC) complex. Is intrinsic sympathomimetic activity (ISA) due to AC activation?: <i>S. Golf & V. Hansson</i>	121
Lipids, lipoproteins and apolipoproteins in the elderly: <i>K. S. Muttala, J. Marniemi, J. Mäki & K. Juva</i>	131
Subcutaneous and intramuscular pressures in the post-phlebotic limb: <i>J. T. Christenson, H. K. Al-Hassan & N. J. Shawa</i>	137
Endotoxin-induced human and porcine leucocyte reactions in vitro: <i>O. K. Andersen, G. Volden, B. Østerud & K.-E. Giercksky</i>	143
Effect of exercise on plasma concentrations of arginine vasopressin, angiotensin II and aldosterone in hypertensive and normotensive renal transplant recipients: <i>E. B. Pedersen, H. Danielsen, A. H. Nielsen, F. Knudsen, T. Jensen, H. J. Kornerup & M. Madsen</i>	151
Relative affinities of estramustine phosphate metabolites to the cytosol oestrogen receptor of rat testis: <i>L. Dæhlin, R. Södergård & J.-E. Damberg</i>	159
Platelet alpha-granule release in chronic myeloproliferative disorders with thrombocytosis: <i>S. Sacchi, G. Curci, L. Piccinini, A. Messerotti, F. Cucci, R. Bursi, P. Zaniol & U. Torelli</i>	163
Effects of cholic acid, 7 β -hydroxy- and 12 β -hydroxy-isocholic acid on bile flow, lipid secretion and bile acid synthesis in the rat: <i>B. Borgström, J. Barrowman, L. Krabisch, M. Lindström & J. Lillienau</i>	167
Metabolism of cholate, 7 β -hydroxy- and 12 β -hydroxy-isocholates in the rat: <i>B. Borgström, L. Krabisch & M. Lindström</i>	177
Effects of feeding ursocholic acid to germfree rats: <i>B. Borgström, L. Krabisch, M. Lindström, J. Lillienau, T. Midtvedt & M. Corrie</i>	183

Technical Notes

The effect of the order of filling tubes after venipuncture on serum potassium, total protein, and aspartate and alanine aminotransferases: <i>E. Leppänen & R. Gräsbeck</i>	189
Enzymatic microanalysis of glycogen: <i>B. P. Brodal & B. B. Gehrken</i>	193

Letter to the Editor

The new generation of thyrotropin assays—their place in thyrodiagnostic strategy?: <i>E. Nyström, G. Lindstedt & P.-A. Lundberg</i>	197
--	-----

No. 3

Original Articles

Early glomerular hyperfiltration in insulin-dependent diabetics and late nephropathy: <i>C. E. Mogensen</i>	201
Isoelectric focusing of rabbit transcobalamin from serum and cerebrospinal fluid: <i>M. Hansen & E. Nexø</i>	207
Evaluation of a radioimmunoassay for cholecystokinin in human plasma: <i>P. Cantor</i>	213
Uptake of transcobalamin II-bound cobalamin by isolated rat kidney tubule cells: <i>J. Lindemans, J. van Kapel & J. Abels</i>	223
Changes in the hepatic capacity of urea-N synthesis, galactose elimination and antipyrine clearance following 70% hepatectomy in the rat: <i>B. Adel Hansen & H. Enghusen Poulsen</i>	233

Effect of 3-hydroxybutyrate infusion on urinary protein excretion in healthy man: <i>C. K. Christensen, O. Schmitz, E. B. Pedersen, K. G. M. M. Alberti & C. E. Mogensen</i>	239
Serum thiocyanate and smoking: interpretation of serum thiocyanate levels observed in a large health study: <i>O. P. Foss & P. G. Lund-Larsen</i>	245
Fatty fish-induced changes in membrane lipid composition and viscosity of human erythrocyte suspensions: <i>C. Popp-Snijders, J. A. Schouten, J. van der Meer & E. A. van der Veen</i>	253
A comparison of the determination of glucosylated haemoglobin by isoelectric focusing and cation-exchange chromatography on minicolumns: <i>J. Hjelm Poulsen & J. Jespersen</i> ...	259
Enhancement of glomerular filtration rate and renal plasma flow by oral glucose load in well controlled insulin-dependent diabetics: <i>J. Sandahl Christiansen, C. K. Christensen, K. Hermansen, E. B. Pedersen & C. E. Mogensen</i>	265
A method for measuring energy metabolism and whole body oxidation in small animals with special reference to experimental metabolism and nutrition: <i>L. Lindmark, L. Rudholm & K. Lundholm</i>	273
Phytanic acid oxidase activity in cultured skin fibroblasts. Diagnostic usefulness and limitations: <i>O. H. Skjeldal, O. Stokke, J. Norseth & S. O. Lie</i>	283
Renal haemodynamics during propranol treatment in patients with arterial hypertension and chronic renal failure: <i>B. A. Jacobsen & P. Fjeldborg</i>	289

Technical Note

The function of a continuous medication system in subatmospheric pressure environment: <i>E. Hjortsø, H. Jordening, H. Jensen, O. Munck & J. Qvist</i>	293
--	-----

No. 4

Original Articles

The basic apolipoprotein A-I in the patients with familial lecithin:cholesterol acyltransferase deficiency: <i>T. Teramoto, H. Kato, Y. Hashimoto, M. Kinoshita, H. Oka & C. Naito</i> ...	297
Interpretation of oral glucose tolerance test: capillary-venous difference in blood glucose and the effect of analytical method: <i>K. Irjala, P. Koskinen, V. Nantö & O. Peltola</i> ...	307
Evaluation of a new capillary blood collection system for laboratory assay of glycated haemoglobin: <i>M. Lytken Larsen</i>	315
Fine needle aspiration in studies of thyroglobulin (Tg). Iodothyronine and iodine contents of Tg from patients with multinodular euthyroid goitre: <i>P. Laurberg & B. H. Sørensen</i> ...	319
On-line computer evaluation of dye indicator dilution curves for determinations of capillary diffusion capacities: <i>B. Haraldsson & L. Stage</i>	325
Determination of ⁵¹ Cr-EDTA clearance in infants by a single capillary blood sample: <i>P. Fjeldborg & J. Brøchner-Mortensen</i>	335
Intestinal deconjugation of bilirubin in germfree and conventional rats: <i>H. Saxerholt & T. Midtvedt</i>	341
Practical aspects in performing the glucagon test in the measurement of C-peptide secretion in diabetic patients: <i>T. Rønnemaa</i>	345
Effect on renal haemodynamics, glomerular filtration rate and albumin excretion of high oral protein load: <i>K. Sølling, C. K. Christensen, J. Sølling, J. Sandahl Christiansen & C. E. Mogensen</i>	351
Drug- and temperature-induced changes in peripheral circulation measured by laser-Doppler flowmetry and digital-pulse plethysmography: <i>S. Sundberg & M. Castrén</i> ...	359

High circulating levels of 25-hydroxyvitamin D ₃ in renal stone formers with hyperabsorptive hypercalciuria: <i>T. Berlin, I. Holmberg & I. Björkhem</i>	367
Cerebral effects of scalp cooling and extracerebral contribution to calculated blood flow values using the intravenous ¹³³ Xe technique: <i>L. Friberg, J. Kastrup, M. Hansen & J. Bülow</i>	375
Ultrafiltration method for direct radioimmunoassay measurement of free thyroxine and free tri-iodothyronine in serum: <i>J. Weeke, N. Boye & H. Ørskov</i>	381
 Letter to the Editor	
Hereditary cerebral haemorrhage: <i>W. Luyendijk & G. Th. A. M. Bots</i>	391

No. 5

Editorial Review

Quality assurance in clinical chemistry—time to go from theory into action: <i>C.-H. de Verdier, O. Haabrekke, E. Leskinen & A. Uldall</i>	393
---	-----

Original Articles

Plasma adrenaline and noradrenaline during orthostasis in man: the importance of arterial sampling: <i>S. E. Kjeldsen, A. Westheim, I. Aakesson, I. Eide & P. Leren</i>	397
Diagnostic value of ferritin analysis in pleural effusions: <i>N. Milman, P. Garsdal & F. Ravn</i>	403
Haematological laboratory findings in the elderly: influence of age and sex: <i>K. S. Mattila, V. Kuusela, T.-T. Pelliniemi, A. Rajamäki, H.-L. Kaihola & K. Juva</i>	411
Transcapillary forces in subcutaneous tissue of lower limbs with deep venous thrombosis: <i>E. Seem & E. Strandén</i>	417
The requirement for gastrin measurements: <i>O. Jacobsen, L. Bardram & J. F. Rehfeld</i>	423
Influence of pH and temperature on the luminol-dependent chemiluminescence of human polymorphonuclear leucocytes: <i>J. A. Westman</i>	427
Improved diagnosis of primary hyperparathyroidism by defining the inverse relationship between serum immunoreactive parathyroid hormone and calcium: <i>J. F. Halvorsen, V. T. Gautvik & K. M. Gautvik</i>	435
Diagnostic efficiency of biological markers in blood serum on prostate cancer: a comparison of four different markers and 12 different methods: <i>J. H. Strømme, F. Haffner, N. B. Johannessen, T. Talseth, P. Frederichsen & L. Theodorsen</i>	443
Post-renal-transplant hypertension. Urine volume, free water clearance and plasma concentrations of arginine vasopressin, angiotensin II and aldosterone before and after oral water loading in hypertensive and normotensive renal transplant recipients: <i>E. B. Pedersen, H. Danielsen, F. Knudsen, A. H. Nielsen, T. Jensen, H. J. Kornerup & M. Madsen</i>	451
Hydroxyproline/creatinine ratios as estimates of bone resorption in early postmenopausal women. Fasting and 24-h urine samples compared: <i>J. Pødenphant, B. J. Riis, N.-E. Larsen & C. Christiansen</i>	459
SCE Nordic α -amylase study II: assessment of proposed calibration procedure. A report by the Scandinavian Committee on Enzymes (SCE): <i>W. Gerhardt, J. Waldenström, M. Höder, E. Magid, J. H. Strømme, L. Theodorsen, M. Härkönen & A. Icen</i>	465
Lipoprotein changes during continuous subcutaneous insulin infusion in insulin-dependent diabetic patients: <i>A. Møller, L. Rasmussen, T. Ledet, J. S. Christiansen, C. K. Christensen, C. E. Mogensen & K. Hermansen</i>	471

Low density lipoprotein receptor determination in peripheral blood mononuclear cells: influence of differences in cell concentration: <i>T. P. Leren, R. Blomhoff & K. Berg</i> ...	477
Nuclear thyroxine binding in human mononuclear blood cells from hyperthyroid and hypothyroid patients before and after treatment: <i>J. Kvetny & J. Wandrup</i> ...	489

Letter to the Editor

Should evaluations of diagnostic reagent kits be published?: <i>A. Aakvaag, E. Leskinen, G. Lindstedt, J. Møller, A. Nyberg & T. Weber</i> ...	495
--	-----

No. 6

Original Articles

Immunological comparison of renin substrate with erythropoietin: <i>K. Rosenlöf</i> ...	497
Relationship between changes in GIP concentrations and changes in insulin and C-peptide concentrations after guar gum therapy: <i>P.-H. Groop, L. Groop, K. J. Tötterman & F. Fyhrquist</i> ...	505
Increased mole fraction of arachidonic acid in bronchial phospholipids in patients with cystic fibrosis: <i>H. Gilljam, B. Strandvik, Å. Ellin & L.-G. Wiman</i> ...	511
The value of serum CK-MB and myoglobin measurements for assessing perioperative myocardial infarction after cardiac surgery: <i>J.-P. Chapelle, M. El Allaf, R. Larbuisson, R. Limet, M. Lamy & C. Heusghem</i> ...	519
Potentiality by previous nutrients of glibenclamide-induced insulin release in man. An effect which is counteracted by meal-induced retardation of drug absorption: <i>V. Grill, S. Efendić & G. Regitz</i> ...	527
A study on oedema mechanism in nephrotic syndrome: <i>H. O. Fadnes, J. F. Pape & J. A. Sundsfjord</i> ...	533
Bile acid conjugates present in tissues during extrahepatic cholestasis: <i>G. Hedenborg, A. Norlander & A. Norman</i> ...	539
A simplified enzyme-linked immunosorbent assay for urinary albumin: <i>O. Torffvit & J. Wieslander</i> ...	545
Platelet glutathione peroxidase activity is impaired in patients with coronary heart disease: <i>G. Guidi, R. Schiavon, I. Sheiban & G. Perona</i> ...	549
Acute and long-term effect of antihypertensive treatment on exercise-induced albuminuria in incipient diabetic nephropathy: <i>C. K. Christensen & C. E. Mogensen</i> ...	553
Early observations of S-myoglobin in the diagnosis of acute myocardial infarction. The influence of discrimination limit, analytical quality, patient's sex and prevalence of disease: <i>K. Nørregaard-Hansen, P. Hyltoft Petersen, J. Hangaard, E. E. Simonsen, O. Rasmussen & M. Hørder</i> ...	561
Postprandial plasma lipoproteins in normal and hypertriglyceridaemic subjects and their <i>in vitro</i> effect on platelet activity: differences between saturated and polyunsaturated fats: <i>M. Aviram, B. Fuhrman & J. G. Brook</i> ...	571
Effects of insulin on the total number of [³ H]ouabain binding sites in normal human lymphocytes and after stimulation <i>in vitro</i> with concanavalin A: <i>K. Berntorp, M. Ekman & E. Berntorp</i> ...	581
Bone turnover in healthy adults measured by whole body retention and urinary excretion of ^{99m} Tc-MDP. Normalization by bone mass: <i>K. Thomsen, A. Gotfredsen & C. Christiansen</i> ...	587
Renal function in an elderly population. A study of S-creatinine, ⁵¹ Cr-EDTA clearance, endogenous creatinine clearance and maximal tubular water reabsorption: <i>M. Larsson, R. Jagenburg & S. Landahl</i> ...	593

Insulin and glucose decreases the capacity of urea-N synthesis in the rat: <i>B. A. Hansen, B. Krog & H. Vilstrup</i>	599
--	-----

Technical Note

Evaluation of a semiquantitative C-reactive protein latex slide test as compared to quantitative turbidimetric measurement in hospital laboratory practice: <i>K. Pulkki & K. Irjala</i>	605
---	-----

No. 7

Original Articles

Urinary excretion of albumin and beta-2-microglobulin in hypertensive and normotensive renal transplant recipients during urinary diluting and concentrating tests: <i>B. Jespersen, E. B. Pedersen, H. Danielsen, H. J. Kornerup, F. Knudsen, C. E. Mogensen & A. H. Nielsen</i>	609
Changes in blood pressure, heart rate and thyroid hormones after sudden withdrawal of pindolol and atenolol in hypertensive patients: <i>C. M. Jespersen, P. H. Jørgensen, A. R. Krosgaard & T. Friis</i>	615
A HPLC method for the simultaneous determination of disopyramide, lidocaine and their monodealkylated metabolites: <i>H. R. Angelo, J. Bonde, J. P. Kampmann & J. Kastrup</i>	623
Determination of eosinophil cationic protein in urine by an enzyme immunoassay: <i>B. Frandsen & G. Lose</i>	629
Plasma somatostatin and plasma glucagon in long-term IDDM without residual B-cell function. No effect of different long-term metabolic control: <i>S. Skare, K. Dahl-Jørgensen, V. Kriz & K. F. Hanssen</i>	635
Stability of haematological constituents during simulated mail transport as measured by Coulter Counter S plus II or Technicon H 6000: <i>K. Sønstad, A. G. Eriksen, H. Jacobsen & S. Sandberg</i>	639
Comparison of methods for determination of testosterone and non-protein bound testosterone in men with alcoholic liver disease: <i>C. Gluud & P. Bennett</i>	647
Plasma and urinary C-peptide in the classification of adult diabetics: <i>P. Koskinen, J. Viikari, K. Irjala, H.-L. Kaihola & P. Seppälä</i>	655
Effects of haemodialysis on heart rate variability in chronic renal failure: <i>J. Forsström, J. Forsström, E. Heinonen, I. Välimäki & K. Antila</i>	665
Renal blood flow during acute ischaemic heart failure in dogs: effects of dopamine and high doses of insulin: <i>O. Reikrás & P. Gunnes</i>	671
Moderate normovolaemic haemodilution increases regional myocardial blood flow but has no effect on experimental infarct size: <i>P.-O. B. Sjöquist, L. Kareld, G. C. Wahlund & S. Holmberg</i>	677
Defects in polymorphonuclear neutrophil function and susceptibility to infection in children: <i>M. Bondestam, L. Håkansson, T. Foucard & P. Venge</i>	685
The non-immune inflammatory response: serial changes in plasma iron, iron-binding capacity, lactoferrin, ferritin and C-reactive protein: <i>R. Baynes, W. Bezwoda, T. Bothwell, Q. Khan & N. Manssor</i>	695

No. 8

Invited Review

- Assays of pancreatic B cell secretory products: utility in investigative and clinical
diabetology: *J. Malmquist & G. Birgerstam* 705

Original Articles

- High-density lipoprotein cholesterol assay by magnesium dextran sulphate precipitation:
*A.-M. Grauholt, P. Grande, J. Hørby-Petersen, J. Jensen, M. Rostgaard &
H. Meinertz* 715
- Studies on the relationship between vitamin D₃ status and urinary excretion of calcium in
healthy subjects: effects of increased levels of 25-hydroxyvitamin D₃: *T. Berlin,
L. Emtestam & I. Björkhem* 723
- The relation between protein carboxyl methylating and demethylating enzyme activities and
noradrenaline efflux in platelets: *I. Mattiasson & B. Christensson* 731
- A rapid challenge protocol for determination of non-specific bronchial responsiveness:
*F. Madsen, N. H. Nielsen, N. H. Holstein-Rathlou, L. Frølund, U. G. Svendsen &
B. Weeke* 735
- Bile acid transport by serum lipoproteins in patients with extrahepatic cholestasis:
G. Hedenborg, A. Norlander, A. Norman & A. Svensson 745
- Monoclonal antibodies based sandwich erythro-immunoassay and 'dot' enzyme immunoassay
for human chorionic gonadotropin in urine: *S. K. Gupta & G. P. Talwar* 751
- Monoclonal antibodies to transthyretin: *V. P. Collins, B. Jacobsson, T. Pettersson &
A. Carlström* 761
- Reactivity of autonomic nervous control of heart rate in diabetes mellitus and juvenile
rheumatoid arthritis: *A. Lindqvist, R. Erkolahti, E. Heinonen & I. Välimäki* 771
- Exercise capacity and cardiac function in type 1 diabetic patients treated with continuous
subcutaneous insulin infusion. A controlled study: *L. Thuesen, J. S. Christiansen,
K. E. Sørensen, N. Falstie-Jensen, C. K. Christensen, K. Hermansen, C. E. Mogensen &
P. Henningsen* 779
- 25-Hydroxylase activity in subcellular fractions from human liver. Evidence for different rates
of mitochondrial hydroxylation of vitamin D₂ and D₃: *I. Holmberg, T. Berlin, S. Ewerth
& I. Björkhem* 785

Technical Note

- Beta₂-microglobulin in urine and serum determined by a micro-ELISA technique:
B. Feldt-Rasmussen, M. Deckert & B. Dinesen 791
- List of Referees for 1986 795